DOCKET NO.: DXYC-0039 / 03-0501D PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No.: 10/561,768 Office Action Dated: October 4, 2010

In re Application of: Confirmation No.: 1617

Yury Gogotsi Confirmation No.: 1617

Application No.: 10/561,768 Group Art Unit: 1793

Filing Date: March 23, 2006 Examiner: Stuart L. Hendrickson

For: NANOPOROUS CARBIDE DERIVED CARBON WITH TUNABLE PORE SIZE

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

DECLARATION PURSUANT TO 37 CFR § 1.132

I, Dr. Yury Gogotsi, declare as follows:

- 1) I am currently Director of the A.J. Drexel Nanotechnology Institute, Trustee Chair and Distinguished University Professor of Materials Science and Engineering, Mechanical Engineering and Mechanics, and Chemistry at Drexel University. Previously, I have held positions as Associate Dean of the College of Engineering and Professor of Materials Science and Engineering at Drexel University and Associate Professor of Mechanical Engineering (with tenure) and Assistant Director, Research Resources Center at the University of Illinois at Chicago, Department of Mechanical and Industrial Engineering.
- 2) I have a D.Sc. in Materials Engineering from the National Academy of Sciences, Ukraine, a Ph.D. in Physical Chemistry from the Kiev Polytechnic Institute, Ukraine, and a Master's degree in Metallurgy, also from the Kiev Polytechnic Institute.
- 3) I am a Fellow in the American Association for Advancement of Science (AAAS), The Electrochemical Society, and the American Ceramic Society and have received numerous awards and accolades for my work in materials science including science of ceramics, carbon, nanomaterials, and nanofluidies. A full listing is provided in my curriculum vitae, provided as Attachment 1 to this declaration.

DOCKET NO.: DXYC-0039 / 03-0501D Application No.: 10/561,768

Office Action Dated: October 4, 2010

4) I have co-authored or edited 14 books, authored or co-authored more than 200 peerreviewed journal papers, more than 100 papers in proceedings, filed 35 patent applications, and presented more than 100 invited lectures and seminars.

- My current research interested include the chemistry of carbon nanomaterials, nanofluidies, and devices made therefrom.
- 6) I have studied and am familiar with U.S. Patent Application Serial No. 10/561,768 (the above-identified application, hereinafter "the '768 Application"), on which I am listed as an inventor, and the prosecution history associated with it. I believe myself to be well qualified to provide comment on the subject matter under consideration.
- 7) I understand the claims of the '768 Application to be directed to a method of preparing nanoporous carbon whose nanopore diameters can be adjusted in increments as low as 0.05 to 0.2 nm, by variations in processing temperature.
- I have been asked to provide experimental data in support of amendments made in response to the office action dated October 4, 2010.
- 9) I am attaching to this declaration tabulated data resulting from experiments conducted at my direction and under my control. These experiments were conducted consistent with the teachings of the as-filed specification currently under consideration, and involved the halogenation of various carbide powders at increasing temperatures.
- 10) These experiments show that nanopore size changes of between 0.05 nm and about 2 nm can be achieved by changing the halogenation temperature, as described in the presently pending claims.

11) I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information or belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful statements may jeopardize the validity of the application, any patent

issuing thereupon, or any patent to which this verified statement is directed.

Date: February 4, 2011

Dr. Yury Gogotsi

DOCKET NO.: DXYC-0039 / 03-0501D Application No.: 10/561,768

Office Action Dated: October 4, 2010

Attachment 1

Partial Curriculum Vitae for Yury Gogotsi

Drexel University, Department of Materials Science and Engineering (215) 895 6446, gogotsi@drexel.edu, http://nano.materials.drexel.edu

Education

D.Sc.	Materials Engineering, National Academy of Sciences, Ukraine, 1995
Ph.D.	Physical Chemistry, Kiev Polytechnic Institute, Ukraine, 1986
M.S.	Metallurgy, Kiev Polytechnic Institute, Ukraine, 1984

Drexel University, Department of Materials Science and Engineering

Professional Appointments

brever emvelsity, pepartment of Materials Science and Engineering							
09/2008 - present	Trustee Chair Professor of Materials Science						
02/2003 - present	Director, A.J. Drexel Nanotechnology Institute						
09/2002 - present	Assistant Professor, Professor of Chemistry						
12/2002 - 9/2007	Associate Dean of the College of Engineering						
11/2001 - present	Professor of Mechanical Engineering and Mechanics						
08/2000 -08/2008	Professor of Materials Science and Engineering, University of Illinois at						
	Chicago (UIC), Department of Mechanical Engineering						
9/2001 - 8/2003	Adjunct Professor of Mechanical Engineering						
6/1999 – 9/2000	Associate Professor of Mechanical Engineering (with tenure)						
9/1999 – 8/2000	Assistant Director, UIC Research Resources Center						
10/1996 – 5/1999	Assistant Professor of Mechanical Engineering						

Current Research Interests

Chemistry of carbon nanomaterials, nanofluidics, electrochemical capacitors, Raman spectroscopy

Publications

2 books co-authored, 12 books edited, 15 book chapters, more than 180 journal papers, 90 papers in proceedings, 35 patents filed, more than 100 invited lectures and seminars.

Five Recent Related Publications:

- J. Chmiola, C. Largeot, P.-L. Taberna, P. Simon, Y. Gogotsi, Monolithic Carbide-Derived Carbon Films for a New Generation of Micro-Supercapacitors, Science, 238, 480-48 (2010)
- J. Chmiola, C. Largeot, P.-L. Taberna, P. Simon, Y. Gogotsi, Desolvation of ions in subnanometer pores, its effect on capacitance and double-layer theory, *Angewandte Chemie Int. Ed.*, 47 (18), 3392-3395 (2008)
- C. Largeot, C. Portet, J. Chmiola, P.L. Taberna, Y. Gogotsi, P. Simon, Relation between the Ion Size and Pore Size for an Electric Double-Layer Capacitor, J. Am. Chem. Soc. 130 (9), 2730-2731 (2008)
- P. Simon, Y. Gogotsi, Materials for Electrochemical Capacitors, *Nature Materials*, 7, 845-54 (2008)
- J. Chmiola, G. Yushin, Y. Gogotsi, C. Portet, P. Simon, and P. L. Taberna, Anomalous Increase in Carbon Capacitance at Pore Sizes Less Than 1 Nanometer, *Science*, 313, 1760-1763 (2006)

Other Important Related Publications:

- T. Kyotani, J. Chmiola, Y. Gogotsi, Carbide Derived Carbon and Templated Carbons, Chapter 3 in *Carbon Materials for Electrochemical Energy Storage Systems*, edited by F. Beguin and E. Frackowiak, CRC Press/Taylor and Francis, pp. 77-113 (2009).
- J. Chmiola, Y. Gogotsi, Supercapacitors as Advanced Energy Storage Devices, Nanotechnology Law and Business, 4(1), 577-584 (2007)

PATENT

DOCKET NO.: DXYC-0039 / 03-0501D Application No.: 10/561,768 Office Action Dated: October 4, 2010

- Y. Gogotsi, A. Nikitin, H. Ye, W. Zhou, J.E. Fischer, B. Yi, H. C. Foley, M. W. Barsoum, Nanoporous carbide-derived carbon with tuneable pore size, *Nature Materials*, 2 (9) 591– 594 (2003)
- Y. Gogotsi, S. Welz, D.A. Ersoy, M.J. McNallan, Conversion of Silicon Carbide to Crystalline Diamond-Structured Carbon at Ambient Pressure, *Nature*, 411, 283-287 (2001)
- Y. Gogotsi, J. Libera, N. Kalashnikov, M. Yoshimura, Graphite Polyhedral Crystals, Science, 290, 317-320 (2000)

Professional Awards and Recognitions

- 2009 Fellow, American Association for Advancement of Science (AAAS)
- 2008 Fellow, The Electrochemical Society
- 2006 Innovator Award, NANO 50TM, NASA Tech Briefs
- 2005 Fellow, American Ceramic Society
- 2005 Drexel University College of Engineering Outstanding Research Award
- 2004 Academician, World Academy of Ceramics
- 2003 R&D 100 Award from R&D Magazine (awarded again in 2009)
- 2003 R.B. Snow Award from the American Ceramic Society (re-awarded in 2005 and 2007)
- 2002 S. Somiya Award from the International Union of Materials Research Societies
- 2002 G.C. Kuczynski Prize from the International Institute for the Science of Sintering
- 2002 Elected Full Member, International Institute for the Science of Sintering
- 2002 Drexel University Research Achievement Award (awarded again in 2009)
- 2001 Winner of the Collegiate Inventors Competition, the National Inventors Hall of Fame
- 1999 University of Illinois-Chicago College of Engineering Faculty Research Award
- 1993 I.N. Frantsevich Prize from the Ukrainian Academy of Sciences
- 1993 1995 NATO/Norwegian Research Council Fellowship, University of Oslo, Norway
- 1992 1993 Japan Society for the Promotion of Science (JSPS) Fellowship, Tokyo Inst. Techn., Japan
- 1990 1992 Alexander von Humboldt Fellowship, University of Karlsruhe, Germany

Selected Synergistic Activities

Directed: 2 NSF IGERT, 2 NSF RET as PI and 2 NSF RET programs as Co-PI

Panel Co-Chair: DOE Workshop on Basic Research Needs for Electrical Energy Storage, 2007

Director:

NATO Advanced Research Workshop on Nanostructured Materials and Coatings for Biomedical and Sensor Applications, Kiev, Ukraine (2002); NATO Advanced Study Institute on Materials Science of Carbides, Nitrides and Borides, St. Petersburg, Russia (1998)

Coordinator: Mentorship Program with Illinois Academy of Math and Sciences, 1999/2000

<u>Co-Director:</u> International Workshop on Hysteresis, Metastability and Aftereffect, Chicago, IL (2000)

Guest Professor: University of Limoges, France (May-June 1994, June 1999, July 2005); Paul Sabatier University, Toulouse, France (Oct.-Dec. 2007)

Editorship:

Nanomaterials Handbook (CRC Press, Boca Raton) 2006, 800 pp.; Carbon Nanomaterials (CRC Press, Boca Raton) 2006, 326 pp; CARBON (Elsevier)

Associate Editor or a Member of the Editorial Board:

AZojomo - Journal of Materials Online, since 2005; Advances in Applied Ceramics, since 2005; British Ceramic Transactions, 2004, International Journal of Applied Ceramic Technology, 2003-2007; Reviews in Advanced Materials Science, since 2000; Materials Physics and Mechanics, since 2000; Advances in Technology of Materials and Materials Processing Journal (ATM), since 1998; J. Materials Processing and Manufacturing Science (1997-2002); Advanced Ceramics and Glass (1992-1993)

Acted as reviewer:

Science, Nature, Nature Materials, Nature Nanotechnology, Nano Letters, Advanced Materials and other journals: The Petroleum Research Fund, Humboldt Foundation, **DOCKET NO.:** DXYC-0039 / 03-0501D **Application No.:** 10/561,768

Office Action Dated: October 4, 2010

CNRS (France), DFG (Germany); National Research Council (NRC), Department of State, DOE, NSF and other agencies

Attachment 2. Results of experiments where various carbides where halogenated at incremental temperatures.

Carbide Type	Chlorination temp., °C	Annealing temp., °C	Annealing type	BET SSA, m²/g	Pore size, nm
	200	200	H2	324	0.56
	200	600	H2	434	0.58
	400	400	H2	740	0.62
nanoTiC-CDC	400	600	H2	1002	0.69
nanoric-coc	600	600	H2	952	0.85
	800	600	H2	1855	0.86
	1000	600	H2	1920	0.96
	1200	600	H2	619	1.71
	200	200	H2	497	0.52
	400	600	H2	910	0.53
	600	600	H2	1383	0.60
microTiC-CDC	700	600	H2	1832	0.66
	800	600	H2	1772	0.80
	1000	600	H2	1669	0.78
	1200	600	H2	1540	0.94
	600	1500	vacuum	1776	0.85
microTiC-CDC	800	600	NH3	2094	0.76
(activated)	400	600	КОН	2911	0.72
(activateu)	500	600	КОН	3101	0.96
	800	600	КОН	2565	0.79
	800	600	H2	1274	0.85
micro-SiC	900	600	H2	1128	0.87
	1200	600	H2	1 0 16	0.97
	400	600	H2	494	0.74
	600	600	H2	859	0.80
microZrC-CDC	800	600	H2	1342	0.83
	1000	600	H2	1499	1.21
	1200	600	H2	1857	1.41
microB ₄ C-CDC	800	600	H2	1824	0.97
	1000	600	H2	1701	0.93
	1200	600	H2	1088	1.43

PATENT

DOCKET NO.: DXYC-0039 / 03-0501D Application No.: 10/561,768 Office Action Dated: October 4, 2010

microMo ₂ C- CDC	400	600	H2	1131	0.77
	500	600	H2	1546	0.99
	600	600	H2	1963	1.45
	700	600	H2	1789	1.50
	800	600	H2	1589	1.67